
metallicity-stack-commons

Release 1.3.1

Chun Ly, Reagen Leimbach, and Caroline McCormick

Feb 12, 2021

CONTENTS:

1	Metallicity_Stack_Commons	1
2	API Documentation	3
2.1	Metallicity_Stack_Commons package	3
3	Indices and tables	17
	Python Module Index	19
	Index	21

**CHAPTER
ONE**

METALLICITY_STACK_COMMONS

Set of common codes used in metallicity studies that use the stacking techniques

API DOCUMENTATION

2.1 Metallicity_Stack_Commons package

2.1.1 Subpackages

`analysis` subpackage

Submodules

Metallicity_Stack_Commons.analysis.attenuation module

`Metallicity_Stack_Commons.analysis.attenuation.Hb_SFR(log_LHb, EBV, verbose=False, log=<Logger stdout_logger(INFO)>)`

Determine dust-corrected SFR using the H-beta luminosity and a measurement for nebular attenuation

Equation below is based on Eq. 2 in Ly et al. (2015), ApJ, 805, 45 DOI: <https://doi.org/10.1088/0004-637X/805/1/45>

Parameters

- `log_LHb` (Union[float, ndarray]) – Logarithm of H-beta luminosity in units of erg/s
- `EBV` (Union[float, ndarray]) – E(B-V) value(s)
- `verbose` (bool) – Write verbose message to stdout. Default: file only
- `log` (Logger) – logging.Logger object

Return type Union[float, ndarray]

Returns SFRs in logarithmic units of M_sun/yr

`Metallicity_Stack_Commons.analysis.attenuation.compute_A(EBV, verbose=False, log=<Logger stdout_logger(INFO)>)`

Compute A(Lambda) for all possible emission lines

Parameters

- `EBV` (float) – E(B-V) value Has not been configured to handle a large array. Some array handling would be needed
- `verbose` (bool) – Write verbose message to stdout. Default: file only
- `log` (Logger) – logging.Logger object

Return type dict

Returns A(lambda) with keys identical to k_dict

```
Metallicity_Stack_Commons.analysis.attenuation.compute_EBV(ratio, source='HgHb',
                                                               zero_neg=True,
                                                               verbose=False,
                                                               log=<Logger    std-
                                                               out_logger (INFO)>)
```

Determines E(B-V) from Hg/Hb or Hd/Hb flux ratios using Case B assumptions

Parameters

- **ratio** (Union[float, ndarray]) – Float or array containing Hg/Hb or Hd/Hb values
- **source** (str) – Indicate ratio type. Either ‘HgHb’ or ‘HdHb’. Default: ‘HgHb’
- **zero_neg** (bool) – Indicate whether to zero out negative reddening. Default: True
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Return type Union[float, ndarray, Tuple[ndarray, ndarray]]

Returns E(B-V) values, E(B-V) peak values

Note: When only E(B-V) values is returned, correction does not account for negative reddening

```
Metallicity_Stack_Commons.analysis.attenuation.line_ratio_atten(ratio,    EBV,
                                                               wave_top,
                                                               wave_bottom,
                                                               ver-
                                                               bose=False,
                                                               log=<Logger
                                                               stdout_logger
                                                               (INFO)>)
```

Determine dust-corrected emission-line ratios

Parameters

- **ratio** (Union[float, ndarray]) – Float or array of observed flux ratios
- **EBV** (Union[float, ndarray]) – E(B-V) value(s)
- **wave_top** (str) – Emission-line name for flux ratio numerator
- **wave_bottom** (str) – Emission-line name for flux ratio denominator
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Return type Union[float, ndarray]

Returns Float or array of dust-corrected flux ratios

Metallicity_Stack_Changs.analysis.composite_indv_detect module

```
Metallicity_Stack_Changs.analysis.composite_indv_detect.main(fitspath, dataset,
revised=False,
det3=True, verbose=False,
log=<Logger
stdout_logger
(INFO)>)
```

Reads in composite table(s) containing bin information to determine temperature-based metallicity from composite average T_e and individual line ratios ([OII]/H-beta, [OIII]/H-beta)

Parameters

- **fitspath** (str) – Folder full path
- **dataset** (str) – Sub-folder path (specific to stacking approach)
- **revised** (bool) – Indicates whether to use revised bin properties (e.g., revised.tbl files). Default: False
- **det3** (bool) – Indicates whether individual galaxy files is limited to those satisfying emission-line det3 requirement Default: True
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Files identified by default:

composite_file: **Filename of composite data** e.g., '[dataset]/bin_derived_properties.tbl', '[dataset]/bin_derived_properties.revised.tbl'

indv_em_line_file: **Filename that contains emission-line information** for each galaxy e.g., 'individual_properties.tbl'

indv_bin_file: **Filename that contains bin information for each galaxy** e.g., '[dataset]/individual_bin_info.tbl'

outfile: **Filename of output file** e.g., '[dataset]/individual_derived_properties.tbl'

Metallicity_Stack_Changs.analysis.error_prop module

```
Metallicity_Stack_Changs.analysis.error_prop.fluxes_derived_prop(path,
raw=False,
binned_data=True,
apply_dust=False,
revised=True,
verbose=False,
log=<Logger
stdout_logger
(INFO)>)
```

Use measurements and their uncertainties to perform a randomization approach. The randomization is performed on individual emission lines. It carries that information to derived flux ratios and then determines electron temperature and metallicity

Parameters

- **path** (str) – Full path
- **raw** (bool) – Do a simple calculation, no randomization. Default: False
- **binned_data** (bool) – Whether to analyze binned data. Default: True
- **apply_dust** (bool) – Whether to apply dust attenuation. Default: False
- **revised** (bool) – Indicate if revised validation table is used. Default: True
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

```
Metallicity_Stack_Consmons.analysis.error_prop.write_npz(path, npz_files,  
dict_list, verbose=False,  
log=<Logger stdout_logger(INFO)>)
```

Write numpy files with provided dictionaries

Parameters

- **path** (str) – Prefix for filename output
- **npz_files** (list) – NPZ file names
- **dict_list** (list) – List of dict for each corresponding npz file
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Metallicity_Stack_Consmons.analysis.fitting module

```
Metallicity_Stack_Consmons.analysis.fitting.OIII4363_flux_limit(combine_flux_file,  
verbose=False,  
log=<Logger stdout_logger(INFO)>)
```

Determine 3-sigma limit on [OIII]4363 based on H-gamma measurements

Parameters

- **combine_flux_file** (str) – Filename of ASCII file containing emission-line flux measurements
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Return type Optional[ndarray]

Returns Array containing 3-sigma flux limit

```
Metallicity_Stack_Consmons.analysis.fitting.double_gauss(x, xbar, s1, a1, c, s2, a2)
```

Function providing double Gaussian profile (emission and absorption) for curve_fit

Parameters

- **x** (ndarray) – Wavelength array
- **xbar** (float) – Central wavelength of Gaussian fit
- **s1** (float) – Sigma (width) of first Gaussian fit (positive)

- **a1** (float) – Amplitude of first Gaussian fit
- **c** (float) – Continuum constant for Gaussian fit
- **s2** (float) – Sigma (width) of second Gaussian fit (absorption)
- **a2** (float) – Amplitude of second Gaussian fit

Return type array

Returns Double Gaussian fit

Metallicity_Stack_Commons.analysis.fitting.**gauss** (*x, xbar, s, a, c*)
Function providing Gaussian profile for curve_fit

Parameters

- **x** (ndarray) – Wavelength array
- **xbar** (float) – Central wavelength of Gaussian fit
- **s** (float) – Sigma (width) of Gaussian fit
- **a** (float) – Amplitude of Gaussian fit
- **c** (float) – Continuum constant for Gaussian fit

Return type ndarray

Returns Gaussian fit

Metallicity_Stack_Commons.analysis.fitting.**movingaverage_box1D** (*values, width, boundary='fill', fill_value=0.0*)

Applies as boxcar kernel to smooth spectra

Parameters

- **values** (ndarray) – Array containing the spectrum
- **width** (float) – Width for smoothing
- **boundary** (str) – Handling of boundary values. Options are: ‘None’, ‘fill’, ‘wrap’, and ‘extend’ See astropy.convolution.convolve for more information
- **fill_value** (float) – Indicate fill value for default boundary=’fill’

Return type ndarray

Returns Array contained the smoothed/convolved spectrum

Metallicity_Stack_Commons.analysis.fitting.**oxy2_gauss** (*x, xbar, s1, a1, c, s2, a2*)
Function providing [OII] doublet Gaussian profile for curve_fit

Parameters

- **x** (ndarray) – Wavelength array
- **xbar** (float) – Central wavelength of [OII]3726 Gaussian fit
- **s1** (float) – Sigma (width) of [OII]3726 Gaussian fit
- **a1** (float) – Amplitude of [OII]3726 Gaussian fit
- **c** (float) – Continuum constant for Gaussian fit
- **s2** (float) – Sigma (width) of [OII]3728 Gaussian fit
- **a2** (float) – Amplitude of [OII]3728 Gaussian fit

Return type ndarray

Returns [OII] doublet Gaussian fit

```
Metallicity_Stack_Commons.analysis.fitting.rms_func(wave, dispersion, lambda_in,
                                                    y0, sigma_array, mask_flag, verbose=False, log=<Logger stdout_logger(INFO)>)
```

Compute rms in the spectra

Parameters

- **wave** (ndarray) – Array of rest wavelengths
- **dispersion** (float) – Spectral dispersion in AA/pix
- **lambda_in** (float) – Central wavelength of fit
- **y0** (ndarray) – Array of fluxes in units of erg/s/cm²/AA
- **sigma_array** (float) – Gaussian sigma (AA)
- **mask_flag** (ndarray) – Indicates spectra are masked for OH skyline contamination
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Returns

Metallicity_Stack_Commons.analysis.ratios module

```
Metallicity_Stack_Commons.analysis.ratios.flux_ratios(flux_dict, binned_data=False,
                                                       get_R=True, verbose=False,
                                                       log=<Logger stdout_logger(INFO)>)
```

Primary code to determine a variety of line ratios based on a dict containing emission-line fluxes

Parameters

- **flux_dict** (dict) – Contains emission-line fluxes
- **get_R** (bool) – Indicates populating OIII4363/OIII5007 flux ratio
- **binned_data** (bool) – Whether to analyze binned data. Default: False
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Return type dict

Returns Emission-line flux ratios

Metallicity_Stack_Changs.analysis.temp_metallicity_calc module

```
Metallicity_Stack_Changs.analysis.temp_metallicity_calc.R_calculation(OIII4363,
    OIII5007,
    verbose=False,
    log=<Logger
    std-
    out_logger
    (INFO)>)
```

Computes the excitation flux ratio of [OIII]4363 to [OIII]5007. Adopts a 3.1-to-1 ratio for 5007/4959

Parameters

- **OIII4363** (Union[float, ndarray]) – OIII4363 fluxes
- **OIII5007** (Union[float, ndarray]) – OIII5007 fluxes
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Return type Union[float, ndarray]

Returns O++ excitation flux ratio

```
Metallicity_Stack_Changs.analysis.temp_metallicity_calc.metallicity_calculation(T_e,
    TWO_BETA,
    THREE_BETA,
    EBV=None,
    det3=None,
    verbose=False,
    log=<Logger
    std-
    out_logger
    (INFO)>)
```

Determines 12+log(O/H) from electron temperature and [OII]/H_b and [OIII]/H_b flux ratio

Parameters

- **T_e** (ndarray) – Array of electron temperatures (see temp_calculation)
- **TWO_BETA** (ndarray) – Array of [OII]/H_b flux ratios
- **THREE_BETA** (ndarray) – Array of [OIII]/H_b flux ratios
- **EBV** (Optional[ndarray]) – Optional array containing EBV distribution
- **det3** (Optional[ndarray]) – Optional array to pass in to identify those satisfying det3 requirements. Default: None means full array is considered

Note: for Monte Carlo inputs, a 1-D np.array index satisfying det3 requirements will suffice

- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Return type dict

Returns Contains 12+log(O/H), O+/H, O++/H, log(O+/H), log(O++/H)

```
Metallicity_Stack_Commونs.analysis.temp_metallicity_calc.temp_calculation(R,  
EBV=None,  
verbose=False,  
log=<Logger  
std-  
out_logger  
(INFO)>)
```

Computes electron temperature (T_e) from O++ excitation flux ratio

Formula is: $T_e = a(-\log(R)-b)^{-c}$ where $a = 13025$, $b=0.92506$, and $c=0.98062$ (Nicholls et al. 2014)

Parameters

- **R** (ndarray) – Array of O++ excitation flux ratio (see R_calculation)
- **EBV** (Optional[ndarray]) – Array of E(B-V). Set to zero if not applying attenuation
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Return type ndarray

Returns Array of T_e (Kelvins)

Module contents

others subpackage

Submodules

Metallicity_Stack_Commونs.others.extract_deep2_data module

```
Metallicity_Stack_Commونs.others.extract_deep2_data.main(infile, log=<Logger std-  
out_logger (INFO)>)
```

Import previous DEEP2 Ly et al. (2015) dataset and export an astropy Table called bin_fit.tbl

Parameters

- **infile** (str) – Input filename
- **log** (Logger) – logging.Logger object

Module contents

plotting subpackage

Submodules

Metallicity_Stack_Commونs.plotting.balmer module

balmer

Generates plots illustrating Balmer recombination lines

This code was created from: https://github.com/astrochun/Zcalbase_gal/blob/master/Analysis/DEEP2_R23_O32/balmer_plots.py

```
Metallicity_Stack_Commons.plotting.balmer.HbHgHd_fits (fitspath,
                                                       out_pdf_prefix='HbHgHd_fits',
                                                       use_revised=False,      ver-
                                                       bose=False,      log=<Logger
                                                       stdout_logger (INFO)>)
```

Generate PDF plots that illustrate H-delta, H-gamma, and H-beta line profiles and best fit

Parameters

- **fitspath** (str) – Full path
- **out_pdf_prefix** (str) – Prefix for output PDF file
- **use_revised** (bool) – Indicate whether to use regular or revised tables
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

```
Metallicity_Stack_Commons.plotting.balmer.extract_fit (astropy_table,      line_name,
                                                       balmer=False,      ver-
                                                       bose=False,      log=<Logger
                                                       stdout_logger (INFO)>)
```

Extract best fit from table and fluxes, return a list of fitting parameters and fluxes

Parameters

- **astropy_table** (Table) – Astropy table containing fitting result
- **line_name** (str) – Name of Line to extract fit results
- **balmer** (bool) – Indicate whether line is a Balmer line
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Return type Optional[dict]

Returns Fitting results

```
Metallicity_Stack_Commons.plotting.balmer.fitting_result (wave,          y_norm,
                                                       lambda_cen,
                                                       line_fit,      line_fit_neg,
                                                       flux_gauss,    flux_spec,
                                                       use_revised=False)
```

Returns fitting results based on inputs of best fit

Parameters

- **wave** (ndarray) – Array of rest-frame wavelengths
- **y_norm** (ndarray) – Normalize 1-D spectra in units of 10^-17 erg/s/cm^2/AA
- **lambda_cen** (float) – Central wavelength in Angstroms
- **line_fit** (list) – List containing Balmer emission fits
- **line_fit_neg** (list) – List containing the absorption (“stellar”) Balmer fit
- **flux_gauss** (float) – Flux from Gaussian model
- **flux_spec** (float) – Flux from spectrum (above median)

- **use_revised** (bool) – Indicate whether fluxes have been revised. Default: False

Return type dict

Returns Dictionary of fitting results

Module contents

2.1.2 Submodules

Metallicity_Stack_Consmons.column_names module

Metallicity_Stack_Consmons.column_names.**indv_M_LHb()**

Use remove_from_list() to provide simplified list that contains ID, logM and logLHb

Return type list

Returns List containing just ID, logM, logLHb

Metallicity_Stack_Consmons.column_names.**indv_R23_O32()**

Use remove_from_list() to provide simplified list that contains ID, logR23 and logO32

Return type list

Returns List containing just ID, logR23, logO32

Metallicity_Stack_Consmons.column_names.**line_fit_suffix_add(line_name0, line_type0)**

Simple list comprehension combining emission line fit suffixes with the emission line. This works for individual lines

Parameters

- **line_name0** (str) – Line name
- **line_type0** (str) – Emission-line type (e.g., ‘Balmer’)

Return type list

Returns List of strings formatted as [LINE]_[SUFFIX]

Metallicity_Stack_Consmons.column_names.**merge_column_names(*args)**

Merges multiple lists containing column names.

Usage: column_names = merge_column_names(bin_names0, indv_names0)

Parameters args (list) – An undefined number of lists

Return type list

Returns Merged list

Metallicity_Stack_Consmons.column_names.**remove_from_list(list0, remove_entries)**

Purpose: Remove entries from list of column names

Parameters

- **list0** (list) – List of column names
- **remove_entries** (list) – List of column names to remove

Return type list

Returns List of column names after removal

Metallicity_Stack_Commons.logging module

class Metallicity_Stack_Commons.logging.**LogClass** (*log_dir*, *logfile*)
Bases: object

Main class to log information to stdout and ASCII logfile

Note: This code is identical to the one used in ReQUIAM: <https://github.com/ualibraries/ReQUIAM>

To use: `log = LogClass(log_dir, logfile).get_logger()`

Parameters

- **log_dir** (str) – Relative path for exported logfile directory
- **logfile** (str) – Filename for exported log file

get_logger()

Return type Logger

Metallicity_Stack_Commons.logging.**get_user_hostname()**

Retrieve user, hostname, IP, and OS configuration

Return type dict

Returns Dictionary with ‘user’ ‘hostname’ and ‘ip’ keys

Metallicity_Stack_Commons.logging.**log_stdout()**

Returns stdout logging object

Return type Logger

Metallicity_Stack_Commons.logging.**log_verbose** (*log*, *message*, *verbose=False*)

Log message depending on verbosity

Parameters

- **log** (Logger) – logging.Logger object
- **message** (str) – Message
- **verbose** (bool) – Write verbose message to stdout. Default: file only

Metallicity_Stack_Commons.update_det4363_info module

Metallicity_Stack_Commons.update_det4363_info.**get_index** (*det4363_table*, *input_table*, *column_name*, *verbose=False*, *log=<Logger std-out_logger (INFO)>*)

Uses either OBJNO or AP/SLIT info to get index for an existing table

Parameters

- **det4363_table** (Table) – Astropy table containing DEEP2 [OIII]4363-detected sample
- **input_table** (Table) – Astropy table containing the entire sample to be updated
- **column_name** (str) – Column name for cross-matching

- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Return type Tuple[ndarray, ndarray]

Returns Index arrays for `det4363_table`, `input_table`

Metallicity_Stack_Commons.valid_table module

`Metallicity_Stack_Commons.valid_table.compare_to_by_eye(fitspath, dataset)`

This function takes the automated validation table and checks it against inputted measurement that are determined by eye. These inputted measurements are in the np.where statements. It outputs a revised validation table based on the inputted measurements.

Usage: `valid_table.make_validation_table(fitspath, dataset)`

Parameters

- **fitspath** (str) – Full file path where the input file is and where the output file will be placed.
- **dataset** (str) – Determine which eye measurements to use

Outputs:

fitspath + ‘bin_validation_revised.tbl’ and ‘.csv’ Validation table containing bin IDs; number of galaxies in each bin; and column indicating OIII4363 detection/non-detection, OIII4363_Flux_Observed, OIII4363_S/N, Notes

`Metallicity_Stack_Commons.valid_table.make_validation_table(fitspath)`

This function creates a validation table for a given binning set. The validation table contains a OIII4363 detection column where 1.0 means detection, 0.5 means non-detection with reliable OIII5007, and 0.0 means unreliable non-detection. This function will be run every time the analysis is completed and will create a validation table for every analysis.

Usage: `valid_table.make_validation_table(fitspath, bin_type_str)`

Parameters **fitspath** (str) – Full file path where the input file is and where the output file will be placed.

Outputs:

fitspath + ‘bin_validation.tbl’ Validation table containing bin IDs; number of galaxies in each bin; and column indicating OIII4363 detection/non-detection, OIII4363_Flux_Observed, OIII4363_S/N

2.1.3 Common functions

`Metallicity_Stack_Commons.dir_date(folder_name, path_init='', year=False, verbose=False, log=<Logger stdout_logger (INFO)>)`

This function finds and returns the path to a directory named after the current date (MMDDYYYY). If the directory doesn't exist yet, it creates a new directory named after the current date in the provided `folder_name` directory.

Originally from <https://github.com/rafia37/Evolution-of-Galaxies/blob/master/general.py>

Usage: `fitspath = dir_date(folder_name, year=True)`

Parameters

- **folder_name** (str) – Directory for date subdirectory will be in
- **path_init** (str) – root path. Default: empty string
- **year** (bool) – Indicate whether to include year in date folder. Default: False
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Return type str**Returns** Full path to the date directory

```
Metallicity_Stack_Commmons.exclude_outliers(objno, verbose=False, log=<Logger std-out_logger(INFO)>)
```

Exclude spectra that are identified as outliers.

Generally this is because the spectra have very high S/N on the continuum.

Parameters

- **objno** (Union[list, ndarray]) – Array of eight-digit identifier
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Return type ndarray**Returns** Array of zeros (not flagged) and ones (flagged)

```
Metallicity_Stack_Commmons.get_user(username=None, verbose=False, log=<Logger std-out_logger(INFO)>)
```

Get the corresponding path for a given username

Parameters

- **username** (Optional[str]) – Optional input for username
- **verbose** (bool) – Write verbose message to stdout. Default: file only
- **log** (Logger) – logging.Logger object

Return type str**Returns** Full path to the date directory

**CHAPTER
THREE**

INDICES AND TABLES

- genindex
- modindex
- search

PYTHON MODULE INDEX

m

Metallicity_Stack_Commons, 14
Metallicity_Stack_Commons.analysis, 10
Metallicity_Stack_Commons.analysis.attenuation,
 3
Metallicity_Stack_Commons.analysis.composite_indv_detect,
 5
Metallicity_Stack_Commons.analysis.error_prop,
 5
Metallicity_Stack_Commons.analysis.fitting,
 6
Metallicity_Stack_Commons.analysis.ratios,
 8
Metallicity_Stack_Commons.analysis.temp_metallicity_calc,
 9
Metallicity_Stack_Commons.column_names,
 12
Metallicity_Stack_Commons.logging, 13
Metallicity_Stack_Commons.others, 10
Metallicity_Stack_Commons.others.extract_deep2_data,
 10
Metallicity_Stack_Commons.plotting, 12
Metallicity_Stack_Commons.plotting.balmer,
 10
Metallicity_Stack_Commons.update_det4363_info,
 13
Metallicity_Stack_Commons.valid_table,
 14

INDEX

C

compare_to_by_eye() (in module `Metallicity_Stack_Commons.valid_table`), 14
compute_A() (in module `Metallicity_Stack_Commons.analysis.attenuation`), 3
compute_EBV() (in module `Metallicity_Stack_Commons.analysis.attenuation`), 4

D

dir_date() (in module `Metallicity_Stack_Commons`), 14
double_gauss() (in module `Metallicity_Stack_Commons.analysis.fitting`), 6

E

exclude_outliers() (in module `Metallicity_Stack_Commons`), 15
extract_fit() (in module `Metallicity_Stack_Commons.plotting.balmer`), 11

F

fitting_result() (in module `Metallicity_Stack_Commons.plotting.balmer`), 11
flux_ratios() (in module `Metallicity_Stack_Commons.analysis.ratios`), 8
fluxes_derived_prop() (in module `Metallicity_Stack_Commons.analysis.error_prop`), 5

G

gauss() (in module `Metallicity_Stack_Commons.analysis.fitting`), 7
get_index() (in module `Metallicity_Stack_Commons.update_det4363_info`), 13
get_logger() (`Metallicity_Stack_Commons.logging.LogClass` method), 13
get_user() (in module `Metallicity_Stack_Commons`), 15

get_user_hostname() (in module `Metallicity_Stack_Commons.logging`), 13

H

Hb_SFR() (in module `Metallicity_Stack_Commons.analysis.attenuation`), 3
HbHgHd_fits() (in module `Metallicity_Stack_Commons.plotting.balmer`), 11

I

indv_M_LHb() (in module `Metallicity_Stack_Commons.column_names`), 12
indv_R23_O32() (in module `Metallicity_Stack_Commons.column_names`), 12

L

line_fit_suffix_add() (in module `Metallicity_Stack_Commons.column_names`), 12
line_ratio_atten() (in module `Metallicity_Stack_Commons.analysis.attenuation`), 4

log_stdout() (in module `Metallicity_Stack_Commons.logging`), 13
log_verbose() (in module `Metallicity_Stack_Commons.logging`), 13
LogClass (class in `Metallicity_Stack_Commons.logging`), 13

M

main() (in module `Metallicity_Stack_Commons.analysis.composite_indv_detect`), 5
main() (in module `Metallicity_Stack_Commons.others.extract_deep2_data`), 10
make_validation_table() (in module `Metallicity_Stack_Commons.valid_table`), 14
merge_column_names() (in module `Metallicity_Stack_Commons.column_names`), 12

M
 metallicity_calculation()
 (in module Metallicity_Stack_Commons.analysis.temp_metallicity_calc), 9
 Metallicity_Stack_Commons
 module, 14
 Metallicity_Stack_Commons.analysis
 module, 10
 Metallicity_Stack_Commons.analysis.attenuation
 module, 3
 Metallicity_Stack_Commons.analysis.composite_indv_detect
 module, 5
 Metallicity_Stack_Commons.analysis.error_prop
 module, 5
 Metallicity_Stack_Commons.analysis.fitting
 module, 6
 Metallicity_Stack_Commons.analysis.ratios
 module, 8
 Metallicity_Stack_Commons.analysis.temp_metallicity_calc
 module, 9
 Metallicity_Stack_Commons.column_names
 module, 12
 Metallicity_Stack_Commons.logging
 module, 13
 Metallicity_Stack_Commons.others
 module, 10
 Metallicity_Stack_Commons.others.extract_deep2_data
 module, 10
 Metallicity_Stack_Commons.plotting
 module, 12
 Metallicity_Stack_Commons.plotting.balmer
 module, 10
 Metallicity_Stack_Commons.update_det4363_info
 module, 13
 Metallicity_Stack_Commons.valid_table
 module, 14
 module
 Metallicity_Stack_Commons, 14
 Metallicity_Stack_Commons.analysis, 10
 Metallicity_Stack_Commons.analysis.attenuation, 3
 Metallicity_Stack_Commons.analysis.composite_indv_detect, 5
 Metallicity_Stack_Commons.analysis.error_prop, 5
 Metallicity_Stack_Commons.analysis.fitting, 6
 Metallicity_Stack_Commons.analysis.ratios, 8
 Metallicity_Stack_Commons.analysis.temp_metallicity_calc, 9
 Metallicity_Stack_Commons.column_names, 12

L
 Metallicity_Stack_Commons.logging, 13
 Metallicity_Stack_Commons.others, 10
 Metallicity_Stack_Commons.others.extract_deep2_data, 10
 Metallicity_Stack_Commons.plotting, 12
 Metallicity_Stack_Commons.plotting.balmer, 10
 Metallicity_Stack_Commons.update_det4363_info, 10
 Metallicity_Stack_Commons.valid_table, 12

O
 OIII4363_flux_limit()
 (in module Metallicity_Stack_Commons.analysis.fitting), 6

P
 oxy2_gauss()
 (in module Metallicity_Stack_Commons.analysis.fitting), 7

R
 R_calculation()
 (in module Metallicity_Stack_Commons.analysis.temp_metallicity_calc), 9
 remove_from_list()
 (in module Metallicity_Stack_Commons.column_names), 12

S
 rms_func()
 (in module Metallicity_Stack_Commons.analysis.fitting), 8

T
 temp_calculation()
 (in module Metallicity_Stack_Commons.analysis.temp_metallicity_calc), 9

W
 write_npz()
 (in module Metallicity_Stack_Commons.analysis.error_prop), 6